

142

INDEX MAPS.

T.12N R.5W 2nd Mer.

	166	167	167	165-167	165-166	165-166						
169	6	192	5	187	4	183	3	178	2	173	1	164
	192	191		186		182		177		173		
169	7	191	8	186	9	182	10	177	11	172	12	164
	190	193		185		181		176		172		
168	18	190	17	185	16	181	15	176	14	172	13	164
	190	189		185		180		176		171		
168	19	189	20	184	21	180	22	175	23	171	24	163
	189	188		184		180		175		170		
168	30	188	29	184	28	179	27	175	26	170	25	163
	188	187		183		179		174		170		
167	31	187	32	183	33	179	34	174	35	169	36	163
	162	162		162		161		161		161		

T.13N R.5W 2nd Mer.

	200	200-201	200-201	200-201	199-201	199-202						
204	6	209	5	213	4	218	3	223	2	228	1	199
	208-209	213		218		222		228		231		
204	7	208	8	212	9	217	10	222	11	227	12	198
	207	212		217		221		227		230		
203	18	207	17	211	16	216	15	221	14	232	13	198
	207	211		216		221		226		232		
203	19	206	20	211	21	216	22	220	23	225	24	198
	206	210		215		220		225		229		
202	30	205	29	209	28	215	27	219	26	225	25	197
	205	205		210		214		219		224		224
202	31	204	32	209	33	214	34	219	35	223	36	197
	196	196		197		195-395		195-		195-196		

The figures on the lines refer to the page.

161

Township N. 12 South of Range No. 5 West 2nd Mer. Indiana

Ch. Lk.

South Boundary

94

East On a Random line between T. 11. & 12. N. R. 5 W 5 miles
578 ch. Fell 3 ch. South of Town Cor.

May 5th 1811

Corrected and marked the line

West On the South Boundary of Sec. 36. T. 12. N. R. 5 W

30.00 To a Brook 20 links wide, Corner S.

40.00 Set a 7/4 sa post on the true line from which

Beck 16 in dia: bears N 85 E. 21 link dist; & a,

do. 8 " " " S 87 W. 19 " "

80.00 Set a post for the cor. of sec. 35 & 36. on the true line from which
a Hick 7 1/2 in dia: bears N 20 E. 18 link dist; & a,

Buckeye 6 " " " S 14 W. 5 " "

Grasshopper land,

West On the true line On the South Boundary of sec. 35. T. 12. N. R. 5 W

6.00 To a Brook 25 links wide, Corner S.

40.00 Set a 7/4 sa post on the true line from which

Beck 16 in. dia: bears. S 27 W. 9 link dist; & a,

do. 16 " " " N 16 E. 31 " "

71.00 To a Brook 5 links wide, Corner N.

80.00 Set a post on the true line for the cor. of sec. 34 & 35 from
which a Beck 16 in dia: bears. S 32 E. 17 link dist; &

a do 18 " " " N 52 W. 27 " "

Land here; Timber Beck, Oak, & Poplar.

West On the true line On the South Boundary of sec. 34. T. 12. N. R. 5 W

40.00 Set a 7/4 sa post on the true line from which

Beck 13 in dia: bears N 77 W. 16 link dist; & a,

Oak. 16 " " " S 78 E. 43 " "

61.00 To a Brook 8 links wide, Corner N.

80.00 Set a post on the true line for the cor. of sec. 33 & 34. T. 12. N. R. 5 W
from which Beck 16 in dia: bears. N 6 W 17 link dist; & a

T.D. N.R. No 571. 2nd Mer. Ind.

At 18 in. air beam S 6 E. 38 links dist;
Level Buck. land;

West	On the line On the South Boundary of sec. 33. T12 N R 5 W
6.00	Foot Brook. 4 links wide, Course N.
21.00	" " " 4 " " " N.
40.00	Set a post for the cor of 1/4 section from which
	Buck. 15 in. air beam S 45 E. 2 links dist; & a,
	Lo. 15 " " " N 22 W 26 " "
80.00	Set a post for the cor of sec. 32 & 33 from which
	Buck. 15 in. air beam S 45 E. 2 links dist; & a,
	Lo. 16 " " " N 41 W 46 " "
	Level Buck. land;

West	On the line On the South Boundary of sec. 32. T12 N R 5 W
40.00	Set the 1/4 section post on the line from which
	Buck 15 in. air beam N 15 E. 27 links dist; & a,
	Lo. 5 " " " S 6 W 10 " "
80.00	Set a post for the cor of sec. 31 & 32. T12 N R 5 W from which
	an Elm 9 in. air beam N 17 W. 20 links dist; & a,
	Hackberry 8 " " " N 21 E. 16 " "
	Level Buck. land;

West	On the line On the South Boundary of sec. 31. T12 R 5 W
4.00	Foot Brook. 200 links wide, Course S.
16.00	" " " 10 " " " "
40.00	Set a 1/4 section post on the line from which
	Buck. 16 in. air beam S 35 E. 17 links dist; & a,
	Walch 30 " " " N 35 E 17 " "
43.50	Foot Brook 6 links wide, Course N.E.
78.00	Set 200 links North of the Survey cor. post and set
	a post for the cor of T. 11. T12 N R. 5 W N from which
	Buck. 30 in. air beam N 7 E. 19 links dist; & a

T. N. 12. MR. N. 5. W. 2nd Mer. Sec.

W Oak 16 in. diam. beam. S 8 E. 37 links each;
Lands oak; Timber Buck, Oak, & Sugar,

East Boundary

North On the East Boundary of sec. 36. T 12. MR. 5. W.

40.00 Set a 1/4 sec post from which a

W Oak. 5 in. diam. beam. N 11 W. 3 links each; & a

L. 14 " " " S 28 E. 40 " "

43.00 To a Brook. 15 links wide, corner S. W.

80.00 Set a post for the cor. of sec. 25 & 36. from which a

Sugar. 17 in. diam. beam. S 63 E. 25 links each; & a

Buck. 15 " " " N 69 W. 29 " "

Swamp Buck. lands;

North On the East Boundary of sec. 25. T 12. MR. 5. W.

35.50 To a Brook 10 links wide, corner S. E.

40.00 Set a 1/4 sec post from which a

W Oak. 9 in. diam. beam. S 73 E. 19 links each; & a

Sugar. 10 " " " S 71 W. 35 " "

80.00 Set a post for the cor. of sec. 24 & 25. from which a

W Oak. 12 in. diam. beam. N 39 E. 21 links each; & a

L. 6 " " " S 55 W. 6 " "

Swamp Buck. lands;

North On the East Boundary of sec. 24. T 12. MR. 5. W.

40.00 Set a 1/4 sec post from which a

W Oak. 6 in. diam. beam. S 25 E. 9 links each; & a

L. 12 " " " N 85 W. 14 " "

80.00 Set a post for the cor. of sec. 13 & 24 from which a

W Oak. 13 in. diam. beam. N 37 E. 28 links each; & a

L. 5 " " " S 25 W. 34 " "

Swamp Buck. lands.

T. N^o 12. N.R. N^o 37. 2nd Mm. Ind.

North On the East Boundary of sec. 13. T 12 N R. 5 W
 10.00 Set a post 200 links north, Corner N.
 25.50 " " " 200 " " " E.
 39.50 " " " 200 " " " S.W.
 40.00 Set a post in line as bearing
 80.00 Set a post for the cor of sec 12 & 13 from which a
 Height 15 in dia. bears. S 23 W. 3.5 links out; & a
 Maples. 3 " " " S 73 W. 30 " "
 Sande not bottom; Timber Elm, Ash, Maples.

North On the East Boundary of sec. 12. T 12 N R. 5 W.
 22.00 Intersect the N Boundary of Harrison's purchase set a post
 from which a Post. 6 in dia. bears West. 26 links this
 angle a " " " " S 86.35 " "
 Sande level; Timber Beech; May 6th 1871
 Surveyed by
 Alexander Holmes, 1st Lt.

North Continued the line between Sec 12 & 14. T 12 N R. 4 & 5 W.
 On the East Boundary of sec 12 T 12 N R. 5 W.
 18.00 Set a post from which a
 Post. 9 in dia. bears. S 38 W. 18 links out; & a
 Sugar. 12, " " " S 40 E 20, "
 58.00 Set a post for the cor of sec 1 & 12 from which a
 Post. 10 in dia. bears. N 13 E. 15 links out; & a
 Sugar. 12, " " " S 49 W 30, "
 Sande rolling; Timber Beech, Sugar, Oak,
 Height; Good farming land;

North Return Sec 1 & 6. T 12 N R. 4 & 5 W.
 On the East Boundary of sec. 1. T 12. N R. 5 W
 40.00 Set a post from which a
 Post. 30 in dia. bears S 26 E 27 links out; & a
 " " " " S 45 E 36, "

T. N^o 12. N.R. N^o 5th W. 2nd Mer. Ind.

80.00	Set a post for the cor of T ^o 12 & 13 N.R. 4 & 5 W. (The above post is temp ^l) Land same as last mile. The cor. 300 ch. South.
North Boundary	
West	On a Random line On the South Boundary of Sec. 36. T ^o 13 N.R. 5 W
25.00	Trail Brook 18 miles mid. Corner N.
40.00	Set a temp ^l 1/4 ea post
75.00	Trail Brook 17 1/2 miles mid. Corner S.
80.00	Set a temp ^l post for the cor. of sec. 35 & 36. Land broken; & healthy good soil.
West	On a Random line On the South Boundary of Sec. 35. T ^o 13 N.R. 5 W
35.00	Trail Spring branch 3 miles mid. Corner S.
40.00	Set a temp ^l 1/4 ea post
80.00	Set a temp ^l post for the cor of sec. 34 & 35. East 3/4 land same as last mile West 1/4 rock; & good farming land;
West	On a Random line On the South Boundary of Sec. 34. T ^o 13 N.R. 5 W
40.00	Set a temp ^l 1/4 ea post
71.26	Enter out the N & S line 755 miles North of the post cor of sec. cor of sec. 3 & 34. Land river bottoms (part over flood)
East	On a True line between Sec 3 & 34. T ^o 12 & 13 N.R. 5 W On the South Boundary of Sec. 34. T ^o 13 N.R. 5 W
31.26	Set the 1/4 ea post on the true line from which a Track 30 mi. near land. To 28.9 miles mid; & a Sec. 24 " " " N 56 W 34 " "

6
ing
no.

Comp

East	On the South Boundary of sec. 32. T. 13. N. R. 5 W.
2.50	Iron Brook 10 links wide, Course E.
40.00	Set a 14 sap post from which a Buck 4 in diam. bears S. 77 W. 33 links dist; & a Do. 17 " " " N. 81 E. 30 " "
76.50	Iron Brook. 12 links wide, Course N.
80.00	Set a post for the cor. of sec. 32 & 33. from which an Ironwood 5 in. diam. bears N. 64 W. 13 links dist; & a Gum. 24 " " " S. 57 E. 26 " " Sands and timber same as last sec.
East	On the South Boundary of sec. 33. T. 13. N. R. 5 W.
40.00	Set a 14 sap post from which a Sugar 6 in. diam. bears S. 76 W. 6 links dist; & a Do. 14 " " " N. 31 E. 14 " "
80.00	Set a post for the cor. of sec. 33 & 34. from which a Maple 6 in. diam. bears N. 53 E. 10 links dist; & a Do. 9 " " " S. 80 W. 32 " "
East	On the South Boundary of sec. 34. T. 13. N. R. 5 W.
45.00	Iron River; Ext. River. Continued this line no farther in consequence of the water being so high
West Boundary	
North	On the East Boundary of sec. 36. T. 12. N. R. 6 W.
30.00	Iron Brook 8 links wide; Course S. E.
40.00	Set a post for the cor. of 14 sec. from which a Buck 16 in. diam. bears S. 27 E. 31 links dist. Do. 16 " " " S. 47 W. 41 " "
75.25	Do a W. Oak 48 in diam. stands in the line
80.00	Set a post for the cor. of sec. 25 & 36. from which a Buck 18 in. diam. bears S. 36 E. 12 links dist. & a Do 15 " " " S. 38 W. 45 " "

T. N. 12. N. R. N. 37 2nd M. Ind.

Land given. Timber Buck. Sugar. Oak &c.

North On the E Boundary of Sec. 25. T. 12. S. R. 6. W.
 40.00 Set a post for the cor. of 1/4 Sec. from which an
 Elm 16 in. diam. bears S. 26. E. 40 links dist. & an
 Ash 8. " " " S. 3. E. 38. " "

53.00 To a Brook 34 links wide; Course S. E.

56.00 " " Do. 4 " " " N. E.

58.00 " " W Oak 24 in. diam. in the line

75.00 " " Brook 4 links wide, Course E

80.00 Set a post for the cor. of sec. 24 & 25 from which an
 W Oak 18 in. diam. bears S. 18. 13 links dist. & an
 Buck 12. " " N 30 W 17. " "
 Land also timber Same Buck, Oak, & Poplar.

North On the East Boundary of sec. 24. T. 12. N. R. 6 W

40.00 Set a post for the cor. of sec. 24 & 25 from which an

W Oak 14 in. diam. bears S. 6 W 30 links dist. & an

Ash 16 " " " N 25 W 35 " "

65.00 To a Brook 10 links wide, Course S. E.

80.00 Set a post for the cor. of sec. 13 & 24 from which an
 W Oak 24 in. diam. bears S. 52 E. 20 links dist. & an

Ash 10 " " " N 69 W 29 " "

Land also timber Same as last mile.

North On the East Boundary of sec. 13. T. 12. N. R. 6 W

40.00 Set a post for the cor. of sec. 13 & 24 from which an

W Oak 12 in. diam. bears S. 5 E 4 links dist. & an

Ash 10 " " " N 15 E 25 " "

68.00 To a W Oak 30 in. diam. stands in the line.

80.00 Set a post for the cor. of sec. 12 & 13 from which an

Maple 6 in. diam. bears S. 25 E 36 links dist. & an

Buck 14 " " " N 55 W 29 " "

T. N. 12. N.R. N. 5 W. 2nd Mer. Sud.

Land and Timber Oak & Birch.

North	On the East Boundary of Sec. 12. T. 12. N.R. 6 W.
15.00	To a Brook 10 links wide, Corner N.E.
40.00	Set a 7/4 sa post from which a Pine 30 in. diam. beam. S 20 E. 12 links out; 8 a Sugar. 6 " " " N 21 E. 15 " "
66.00	To a Brook 100 links wide, Corner S.E.
80.00	The post for the cor. of Sec. 1712 is a Birch marked a Sycamore 15 in. diam. tan Elm. 10 with a blaze on a notch towards the corner. Land and timber same as last sec.

North	On the East Boundary of Sec. 1. T. 12. N.R. 6 W.
	Brook on the West
40.00	Set a 7/4 sa post in the tree line from which a W Oak 36 in. diam. beam. S 8 E. 34 links out; 8 a Sugar. 14 " " " N 30 W. 13 " "
46.00	To a W Oak. 15 in. diam. stands in the line.
80.00	Set a post for the cor. of Towns 12 & 13. N.R. 5 & 6 W from which a Sugar. 3 in. diam. beam. S 26 W. 5 links out and a W Oak. 40 " " " N 20 E. 26 " " May 6 th 1811. Surveyed by Alexander Holmes L.S.

Subdivisions

North	Return Sec 35 & 36. T. 12. N.R. 5 W.
22.70	To a Spruce Oak, — in diam. in the line.
39.60	To a Brook 10 links wide, Corner W.
40.00	Set a 7/4 sa post from which a Pine 24 in. diam. beam. S 8 E. 10 links out; 8 a Sugar. 6 " " " N 38 E. 37 " "
80.00	Set a post for the cor. of Sec. 25, 26, 35 & 36 from which a

T. N. 12. N.R. N. 5 W. 2nd Mer. Ind.

Sugar 18 in. dia: beam. N33 E. 3 links out; 7 a
 Hogans 5 " " S18 W 10 " "
 Sand broken; Soil good. Timber Oak, Sugar,
 Ash, & s. Undergrowth Spruce, & Cherry Bush & s

East	Oak Run line between Sec. 25 & 26. T. 12. N.R. 5 W.
40.00	Set a temp. 7 1/4 s post.
53.00	Iron Branch 4 links in, course S.E.
57.50	To a Branch. 10 " " S.
79.90	Enter at the East Boundary 55 links South of the post crossed. 25 & 26.

West	Outh Run line between Sec. 25 & 26. T. 12. N.R. 5 W.
39.95.	Set the temp. 7 1/4 s post at the cr. out on the line from which a Bush. 12 in. dia: beam. South 13 links in; made a Sugar. 5 " " " N45 W 17 " "
79.90	To the post cr of sec. 25, 26, 30 & 36. Sand broken; Timber Oak, Bush, Sugar, & s

North	Return Sec. 25 & 26. T. 12. N.R. 5 W.
1.00	Iron Branch 3 links in, course W.
40.00	Set a 7/4 s post from which Sugar. 15 in dia: beam S32 W 20 links out; 7 a Bush. 10 " " " N32 E. 10 " "
54.75	Iron Branch. 4 links in, course W.
80.00	Set a post for the cr of sec. 23, 24, 25 & 26 from which Bush. 10 in dia: beam N41 E. 27 links out; 7 a Sugar. 14 " " " S84 W. 45 " " This mile is over broken; land; Timber Oak, Bush and Sugar; Undergrowth Spruce.

East	Oak Run line between Sec. 24 & 25 T. 12. N.R. 5 W.
40.00	Set a temp. 7 1/4 s post

171

T. N. 12. S. R. N. 5 W. 2nd Mer. Sec.

79.85	Intersect the East Boundary 20 miles South of the cor. of Sec. 24 & 25.
West	On the true line between Sec. 24 & 25. T. 12. S. R. 5 W.
39.93	Set the temp. post at the cor. due on the true line from which a Cherry 12 in. diam. bears N 89 E. 13 links dist; in a. a. Buck. 16 " " " N 35 W. 27 " "
79.85	To the first cor. of sec. 23, 24, 25 & 26. Lands broken; Timber Poplar Buck. Sugar, Under 5 th Spruce April. 24. 1844.
North	Between Sec. 23 & 24. T. 12. S. R. 5 W.
20.70	Set a Buck 12 in. diam. stands in the line.
40.00	Set a post for the cor. of 1/4 Sec. from which a Sugar 15 in. diam. bears S. 16. E. 8 links dist. & a Buck 7. " " " S. 15. E. 22. " "
44.69	Set a Buck 12 in. diam. stands in the line
78.69	" " Sec. 13. " " " " " "
80.00	Set a post for the cor. of Sec. 13. 14. 23 & 24 from which a Buck 20 in. diam. bears S. 30. W. 28 links dist. & a Sugar 12 " " " S. 34 E. 46. " " This mile is broken land, Timber Buck. Sugar. &c. Undergrowth Spruce & Birch.
East	On a Random line between Sec. 13. & 24. T. 12. S. R. 5 W.
40.00	Set the temp. post for the cor. of 1/4 Sec.
79.80	Intersect the E. Boundary at the first cor. of Sec. 13 & 24.
West	On the true line between Sec. 13. & 24. T. 12. S. R. 5 W.
26.60	Set a Buck 24 in. diam. stands in the line
34.50	" " Sec. 15. " " " " " "
39.90	Set a post for the cor. of 1/4 Sec. at the cor. dist. on the true line from which a Gum 10 in. diam. bears S. 14. W. 41 links dist.

T. N. 12 N.R. N. 571. 2nd Mer. Ind.

- Poplar 24 in. diam. bears S. 66. W. 40. links dist.
 72.20 To a Hickory 24 in. diam. stands in the line.
 79.80 To the first cor. of Sec. 13. 14. 23. & 24.
 This line is broken land. Timber Beech Oak & W. S. S. S.

- North Return Sec. 13 & 14. T. 12. N.R. 571
 40.00 Set a 7/4 sap post from which
 W. Oak. 4 in. diam. bears S. 86. 19 links dist. vs
 Hazelnut 6 " " " N. 87. 9 " "
 44.20 To a Beech 10 in. diam. stands in the line.
 69.00 To mill creek 200 links min., Course N.W.
 80.00 Set a post in the creek for the cor. of Sec. 11. 12. 13 & 14. from which
 a Spruce 12 in. diam. bears S. 107. 50 links dist. & 3
 Hornbeam 8 " " " N. 19. 60 " "
 This line is broken, found; Timber Beech Oak, Sugar
 & S. Undergrowth Spruce.

- East Chapin arm line between Sec. 12 & 13. T. 12. N.R. 571
 40.00 Set a trap 7/4 sap post
 79.85 Intersect the East Branch at the first cor. of Sec. 12 &
 13. found broken Timber Beech Oak & S.
 Undergrowth Spruce & S.

- West Out the line between Sec. 12 & 13. T. 12. N.R. 571
 0.88 To a Hickory 8 in. diam. stands in the line.
 39.90 Set the trap 7/4 sap post at the cor. with in the line
 from which a Beech 24 in. diam. bears S. 74. 7 links dist.
 under 6 " " " S. 57. 12 " "
 79.85 To the post cor. of Sec. 11. 12. 13 & 14

- North Return Sec. 11 & 12. T. 12. N.R. 571.
 36.35 To a Poplar 18 in. diam. stands in the line.
 40.00 Set a 7/4 sap post from which

	<p>Beck. 10 in. dia: bend. N 89 W 7 links sub; 7 g Sugar 8 " " " N 51 E. 11 " "</p>
79.20	<p>Enter at the N. R. No 5 line of Garrison's Purchase and set a post for the cor of sec. 11 & 12 from which a Beck. 10 in. dia: bend. N 1 E. 36 links sub; 7 g Lg. 18 " " " N 59 W. 15 " "</p>
	<p>Land broken; Timber Beck, Oak, &c. many the Spruce Ironwoods & 1 Pine. Surveyed. John McDonald. 14.</p>
North 7.80	<p>Continued the line between Sec. 11 & 12 T. 12. N. R. 5 W Set a post for the cor of sec. 1. 2. 11. & 12 from which a Sugar. 14 in. dia: bend. S 21 W. 10 links sub; 7 g Beck. 10 " " " S 20 E. 8 " "</p>
East	<p>Return Sec. 1. & 12 T. 12. N. R. 5 W.</p>
24.40	<p>To a Brook 10 links wide, Course N. W.</p>
35.00	<p>" " Beck. 18 in. dia: stands in the line.</p>
40.00	<p>Set a 4th support from which a Beck. 4 in. dia: bend. N 59 W. 15 links sub; 7 g Logwood 4 " " " S 20 E. 25 " "</p>
42.40	<p>To a Spring.</p>
82.18	<p>Enter at the East Boundary 158 links North of the post cor of sec. 1. & 12 from which a (Set post.) Beck. 10 in. dia: bend. N 5 E. 22 links sub; 7 g Lg. 14 " " " S 77 W. 7 " "</p>
	<p>Land hilly and broken; 3rd rate; Timber Beck, Oak Sugar. &c.</p>
North	<p>Return Sec. 1. & 12 T. 12. N. R. 5 W</p>
19.00	<p>To an Elm 18 in. dia: stands in the line</p>
27.50	<p>To a Stream 100 links wide, Course S. W.</p>
40.00	<p>Set a 4th support from which a Sugar. 10 in. dia: bend. N 43 W 30 links sub; 7 g N. R. 10 " " " East 13 " "</p>

T. N. 12. N. R. No 57. 2nd Mer. Sur.

53.60 To stream 100 links mid, Course E. E.
 56.10 " " Sugar. 18 in dia. in the line.
 68.00 To stream 100 links mid, Course S. W.
 81.34 Enter cut the N. Boundary 136 links West of the post
 cor of sec. 35 & 36. T 13 N. R. 57. was set apart for the
 cor of sec. 1 & 2 from which
 Buck 10 in dia. beam. S. E. 15 links dist; & B
 Ho. 10 " " " N 19 E. 14 " "
 Land rolling and broken; 2nd cut; Timber as before
 Surveyed by
 John Collett. D.S.

North
 40.00 Return Sec. 34 & 35. T 12. N. R. 57.
 Set a 7/4 support from which
 Buck 10 in dia. beam N 49 W. 16 links dist; & B
 Ho. 10 " " " S 88 E. 26 " "
 80.00 Set a post for the cor. of sec. 26, 27, 34 & 35. from which
 Buck 14 in dia. beam N 80 W. 20 links dist; & B
 Ho. 12 " " " S 50 E. 14 " "
 Land broken; Timber Buck, & Sugar, W. Spruce.

East
 2.25 On a Ranam line between Sec. 26 & 35. T 12. N. R. 57.
 19.00 To Branch 10 links mid, Course N.
 40.00 To a creek. 30 " " " E. E.
 40.00 Set a stump 7/4 support
 79.90 Enter cut the N. S. line 20 links North of the post cor.
 of sec. 25, 26, 35 & 36.
 Land broken; Timber Buck, Ash, & W. Spruce.

West
 39.95 On the true line between Sec. 26 & 35 T 12 N. R. 57
 Set the stump 7/4 support at ar. dist on the true line from
 which Buck 20 in dia. beam S 80 E. 18 links dist
 under Ash. 15 " " " N 45 W. 19 " "

175

T. N. 12. N.R. N. 3 W. 2nd Mer. Ind.:

79.90	To the post cr of lot. 26, 27, 34 & 35.
North	Return Sat. 26 & 27. T. 12 N.R. 5 W.
40.00	Set a 7/4 sap post from which a " Buck. 20 in. diam. beam. 58 E. 16 links each; 89 Sugar 14 " " " 181 W 17 " "
40.05	To a Buck. 15 link mea. Corner S.E.
41.00	" " Do. 15 " " " 9 W.
80.00	Set a post for the cr of lot. 22, 23, 26 & 27 from which " Sugar. 10 in. diam. beam. 57 W 14 links each; 89 " Oak. 24 " " " 57 E. 9 " " Corn broken land. Timber Buck, Oak & M. Spr.
East	On a line between Sat. 23 & 26. T. 12 N.R. 5 W.
40.00	Set a temp. 1 1/4 in post
80.00	Intersect the N & S line 20 links north of the post cr of lot. 23, 24, 25 & 26. Small cedar timber since last mile.
West	On the true line between Sat. 23 & 26. T. 12 N.R. 5 W.
40.00	Set the temp. 1 1/4 in post at the cr. dist on the true line from which a " Buck. 18 in. diam. beam. 58 E. 27 links each " and a " Gum. 12 " " " 70 W 17 " "
41.00	To a Buck. 20 in. diam. stand in the line.
80.00	To the post cr of lot. 22, 23, 26 & 27.
North	Return Sat. 22 & 23. T. 12 N.R. 5 W.
7.30	To a Poplar. 20 in. diam. stand in the line.
40.00	Set a 7/4 sap post from which a " Buck. 20 in. diam. beam. 56 W 17 links each; 89 " Do. 10 " " " 16 E. 27 " "
63.45	To a Hick 10 in diam. stand in the line.
80.00	Set a post for the cr of lot. 14, 15, 22 & 23 from which

T. No 12. N.R. N. 5 W. Quad No. Ind.?

a Sugar. 10 in. dia. beam 910 W. 14 tons weight; & 3
 an Ash 24 " " " 957 E. 9 " "
 Sand broken; Timber Oak, Poplar, & Buck, Sugar.
 & Mud, & the Logwood & Sassafras & S.

East Quakamum line between Sec. 14 & 23. T. 12. N.R. 5 W.

40.00 Set a 7/4 w. post (temp. 7)

80.00 Enter at the N.E. line at the post cor. of sec. 13, 14, 23 & 24

West Quakamum line between Sec. 14 & 23. T. 12. N.R. 5 W.

40.00 Set the temp. 7 1/4 w. at the cor. dash on the true line from

which a Sugar. 20 in. dia. beam 947 E. 31 tons weight
 and a Buck 24 " " " 1477 40 " "

55.70 To a Buck. 10 in. dia. stands in the line.

80.00 To the post cor. of sec. 14, 15, 22 & 23.

Sand broken; Soil gives Timber Sugar, Poplar and
 Buck & S. Mud, & the Spruce & Logwood.

April 25. 1814

North Between Sec. 14 & 15. T. 12. N.R. 5 W.

1.10 To a Poplar 20 in. dia. stands in the line.

32.25 To a Do. 36 " " " " " "

40.00 Set a 7/4 w. post from which.

Buck. 14 in. dia. beam 944 W. 44 tons weight; & a

Worm beam 6 " " " 859 E. 27 " "

63.45 To a Hickory 12 in. dia. stands in the line.

80.00 Set a post for the cor. of sec. 10, 11, 14 & 15 from which.

Buck. 15 in. dia. beam 946 E. 33 tons weight; & a

Do. 8 " " " 146 W. 46 " "

Sand broken; Timber Oak, Poplar, & Buck. Sugar, &
 mud, & the Logwood & Sassafras.

East Quakamum line between Sec. 11 & 17. T. 12. N.R. 5 W.

40.00	Set a trap 7 1/4 sa post
60.00	To Milk Creek, 201 miles, Course S.W.
80.00	Enter at the the N.V. line at the cor of sec 11, 12, 13 & 14
West	Cut the true line between Sec 11 & 14 T. 12 N. R. 5 W.
40.00	Set the trap 7 1/4 sa post at an dish on the true line from which Buck 16 in diam. bears. N 30 E 8 miles; 8 1/2 Sugar Co. " " " S 61 E 16 " "
77.94	To a Poplar 36 in diam. in the line.
80.00	To the post cor of sec. 10, 11, 14 & 15. Land broken; Timber Buck, Oak, Poplar, &c.
North	Return Sec 10 & 11. T. 12 N. R. 5 W.
34.45	To a Buck 20 in diam. in the line.
40.00	Set a 7 1/4 sa post from which Oak 18 in diam. bears. S 67 W 18 miles; 8 1/2 Walnut 5 " " " S 55 E 22 " "
58.20	To a Buck 15 in diam. in the line.
70.00	To Milk Creek 180 miles, Course W.
80.00	Set a post for the cor. of sec. 2, 3, 10, & 11 from which Buck 24 in diam. bears. N 35 W 20 miles; 8 1/2 Oak 12 " " " S 65 E 32 " "
	Land broken; Timber Buck Oak & Sugar, 218. 29 1/2
East	Between Sec 2 & 11 T. 12 N. R. 5 W.
17.55	To a Walnut 30 in diam. in the line.
20.00	To a Creek 70 mile wide from S.E. to S.W.
35.90	To a Walnut 18 in diam. in the line.
40.00	Set a trap 7 1/4 sa post from which Buck 12 in diam. bears. N 36 E 8 miles; 8 1/2 Oak 14 " " " S 43 W 22 " "
46.00	To a Gum 30 in diam. stands in the line.
59.50	To a Creek 70 miles, Course S.W.

North	Return Lat 33° 34'. T. 12. N.R. 57
16.80	Iron Brook 6 links mid, Course E.
40.00	Set a 1/4 ea post from which a fence Beck. 24 in. dia. beam. N 10 E. 27 links mid; 7 1/2 Lo. 10 " " " S 5 E 10 " "
52.56	Iron Brook 15 in. dia. in the line.
80.00	Set a post for the cor. of ew. 27. 28 33 & 34 from which Sugar. 10 in. dia. beam. N 30 W. 20 links mid; 1 1/2 Lo. 8 " " " S 30 E 19 " "
	This mile is over broken lands; Soil good, Timber Beck Oak, Poplar &c. Undergrowth Spruce.
East	On a Runum line between Lat. 27° 34'. T. 12. N.R. 57
40.00	Set a temp. 1/4 ea post
80.00	Intersect the N 45 line at the post cor. of ew. 26. 27. 34 & 35.
West	On the Iron line between Lat. 27° 34'. T. 12. N.R. 57
40.00	Set the temp. 1/4 ea post at the cor. set on the line from which Sugar. 10 in. dia. beam. N 85 E. 20 links mid; 7 1/2 Beck. 18, " " S 56 W 31, " "
80.00	To the post cor. of ew. 27. 28 33 & 34 Land broken; Soil good; Timber Beck, Sugar, Walnut, &c. Undergrowth Spruce
North	Return Lat 27° 28'. T. 12. N.R. 57.
7.80	Iron Brook 6 links mid, Course W.
21.25	" " Lo. 3, " " S. W.
34.30	Set a W Oak 28 in. dia. it stands in the line.
40.00	Set a 1/4 ea post from which on Oak 20 in. dia. beam N 46 E 8 links mid; 7 1/2 Beck. 15 " " " S 68 W 45 " "
47.50	Iron Branch 4 links mid, Course W.

T. N. 12. N.R. N. 5 W. 2^d M. S. 1st

80.00	Set a post for the cor of sec. 21. 22, 27. & 28 from which Beck 30 in. dia. beam. S83 E. 18 units east; & 2 No. 10 " " " N83 W 24 " " This mile over rolling land; Soil rich; Timber Buck Poplar, Ash & Sugar, Undergrowth Spruce.
East	Quadrant line between Sec. 22, & 27 T. 12. N.R. 5 W.
40.00	Set a temp. 7/4 a post
74.50	To a Beck 12 units in, Corner S.
80.00	Enter the N. 5 W. line at the post cor of sec. 22, 26 & 27. Land broken; Timber Oak, Buck, & Sugar, & Spruce
West	Quadrant line between Sec. 22 & 27 T. 12. N.R. 5 W.
40.00	Set the temp. 7/4 a post at cor. dish on the true line from which a Beck. 20 in. dia. beam. N75 E. 24 units west; under No. 24 " " " S72 W. 36 " "
80.00	To the post cor of sec. 21. 22, 27. & 28.
North	Between Sec. 21. & 22. T. 12. N.R. 5 W.
30.25	To a Poplar. 30 in dia. in the line.
40.00	Set a 7/4 a post from which a Sugar. 18 in. dia. beam. S79 E. 30 units east; & 2 Beck 8 " " " N69 E. 22 " "
80.00	Set a post for the cor of sec. 15. 16. 21. & 22 from which a Beck. 15 in. dia. beam. S15 E. 6 units east; & 2 No. 18 " " " S30 E. 17 " " Land broken Soil good; Timber Buck, Sugar, & Undergrowth Spruce.
East	Quadrant line between Sec. 15 & 22 T. 12. N.R. 5 W.
40.00	Set a temp. 7/4 a post
80.00	Enter the N. 5 W. line at the post cor of sec. 14. 15, 21 & 23.

West	On the same line between Jul. 15 & 22. T. 12 N. R. 5 N.
18.15	To a Walnut. 36 in. dia. stands in the line.
40.00	Set the tump. 7 1/4 sa post at ar. dish in the line from which a Buck. 28 in. dia. beam. N 60 E. 6 links each; 75.
	Lo. 10 " " " S 50 N. 20 " "
52.60	To a Poplar. 36 in. dia. in the line.
80.00	To the post cor of sec. 15, 16, 21. & 22 Sands broken; Timber Buck, Sugar, Oak, & 5. in any the Spine. Valogwood.
North	Return Jul. 15 & 16. T. 12 N. R. 5 N.
16.00	To an Oak 40 in. dia. in the line.
20.00	To a Branch 10 links in line, Coma E.
28.25	To a Sugar 12 in. dia. in the line.
40.00	Set a 7/4 sa post from which a Buck. 18 in. dia. beam. S 64 E. 17 links each; 75 Poplar. 10 " " " S 47 N. 21 " "
80.00	Set a post for the cor of sec. 9, 10, 15 & 16 from which a Buckeye 6 in. dia. beam. N 45 N. 20 links each; 75 Lo. 10 " " " S 10 N. 23 " " Sands broken; Timber Buck, Oak & 5.
East	On a Kansas line between Jul. 10 & 15. T. 12 N. R. 5 N.
40.00	Set a tump. 7 1/4 sa post.
80.10	Enter east the N. 3 line at the post cor of sec. 10, 11, 14 & 15
West	On the same line between Jul. 10 & 15. T. 12 N. R. 5 N.
17.50	To a Buck 15 in. dia. stands in the line.
40.55	Set the tump. 7 1/4 sa post at ar. dish in the line from which a Buck. 10 in. dia. beam. S 54 N. 20 links each under a Lo. 12 " " " S 18 N. 20 " "
41.00	To a Buck 10 in. dia. in the line.
80.10	To the post cor of sec. 9, 10, 15 & 16.

T. N. 10. N.R. N. 5 W. 2nd Mer. Ind.

Sands bottom; Timber Oak, Buck, Sugar, & maple
Hogwood. April 30. 1844.

Start Return Sat. 9. 410. T. 12 N. R. 5 W.
5.50 To Del River 250 miles out, Course S. W.
10.90 To a Cottonwood 30 in dia. in the line.
28.40 To a Hickory 36 in dia. in the line.
40.00 Set a 7/4 sap post from which
Buckeye 12 in dia. beam. S. 70 W. 9 miles out;
Loc. 10 " " " S. 62 E. 8 " "
45.35 To an Elm 30 in dia. in the line
59.25 " a Sugar. 24 " " " "
80.00 Set a post for the cor of lat. 3, 4, 9 & 10. From which a
Buckeye 10 in dia. S. 5 W. 31 miles out; & a
Hickory 12 " " S. 7 W. 4 " "
Sands bottom; Timber Walnut, Sugar Buckeye &
maple & Spruce & Pawpaw.

East On a Canadian line between Lat. 3 & 10. T. 12 N. R. 5 W.
10.33 To Walnut Creek 245 miles out, Course S.
40.00 Set a temp. 7/4 sap post.
80.00 Enter lat the N. 5 E line at the post cor of lat. 2, 3, 10 & 11

West On the same line between Lat. 3 & 10. T. 12 N. R. 5 W.
17.40 To a Sugar. 18 in dia. in the line.
40.00 Set the temp. 7/4 sap post at av. creek on the same line from
which a Haw. tree 10 in dia. beam. S. 57 W. 20 miles out
under a Hickory 8 " " " S. 33 E. 10 " "
49.90 To a Hawthorn 18 " " in the line.
69.67 To Del River
80.00 To the post cor of lat. 3, 4, 9 & 10.
Sands bottom; Timber Walnut, Sugar, Buck, &
under the Spruce & Pawpaw. not out.

183

D. N. 12. N. R. N. 5 W. D. N. M. Ind.

North	Return Sat. 344. 710 N. R. 5 W.
19.60	To Walnut 36 in. dist. in the line.
31.50	" Walnut. Creek. 250 links mid, Corner E.
40.00	Set a 7/4 support from which an
	Old. 30 in. dist. bears. N 19 W. 13 links mid; 75
	Ruckeye 10 " " " " E. 10 " "
42.00	To Walnut. Creek 240 links mid, Corner W.
50.18	" " " 206 " " " E.
78.40	Enter out the N. B. main and set a post for the cor
	of Sat. 344 from which.
	Box Elder. 6 in. dist. bears. N 60 E. 27 links mid
	So. Maple 9 " " " " E. 18 " "
	Land bottom dirt rich; April 27. 1814.

North	Return Sat. 32 & 33. 710 N. R. 5 W.
16.50	To Sugar. 20 in. dist. stands in the line.
36.00	" " Brook. 10 links mid, Corner N. W.
40.00	Set a 7/4 support from which
	Reck. 20 in. dist. bears. S 72 E. 25 links mid; 75
	Lo. 24 " " " " N 82 W. 27 " "
75.30	To all creek. 20 links mid, Corner W.
80.00	Set a post for the cor of Sat. 28, 29, 32 & 33 from which.
	Reck. 20 in. dist. bears. S 19 E. 20 links mid; 75
	Lo. 15 " " " " S 40 W. 50 " "
	Land broken; Soil. Rich, Sugar, Poplar &.
	Under the Skin, Soil rich;

East	On a Run and line between Sat. 28 & 33 N. R. 5 W.
15.76	To a Rock 18 in. dist. stands in the line.
40.00	Set a temp. 7/4 support.
70.00	To a Branch 15 links mid, Corner S. W.
80.10	Enter out the N. B. line 15 links North of the post cor.
	of Sat. 27, 28, 33 & 34.

Д. № 12. ИР. № 377. 2. 1. Мн. Инд.

West. Cut the line between Secs 28 & 33. 710 N. 18. 57 N
455 Set the temp. 17 1/4 fath at av. depth in the line from which
a "Buck. 14 in dia. bore. 1857. 10 fath each; 85
" 10 " " " 807. 30 " "
80-10 To the foot of sec. 28. 29. 30 & 33.
Sand bar; Timber Bar, Sugar vs. mangrove. Spis

North
4000 Pitman Sep 28 & 29 1/2 N. 5 W.
Set apart from which a
Elm. 14 in. diam. trunk. 93 W. 29 inch circ; 40
7 Bunk. 15 " " N 20 W. 27 " "
8000 Set apart from the cor. spec. 20. 21. 28 & 29 from which
Willow 8 in diam. trunk N 7 E. 24 inch circ; 40
Oak. 6 " " N 74 W 9 " "
Sandy hill; Timber Buck, Ash, Maple, & M. Spruce

West Cuttle bone line between Dec. 21 & 28. 712 MR. 571.
8.75 Long Brook. 4 miles midy, Come E.
40.00 Set a 14 in post from which.
Sugar. 15 in diam. trees. 11 E 26 miles west; 20
Lo. 10 " " " 315 E 8 " "
80.00 To the post co. Dec. 20. 21. 28 & 29
Land broken; Timber Beech, Sugar. & Oak,
Mud on the Spine. Feb 7 20. 1815.

North
40.00
57.50
66.40
80.00

Wetmore Jan 20 1921. 110. N.W. SW
Set a 74 Laforest from which
Hickory 12 in diam. beams. No. 13 links each; 12
Walnut. 30 " " " " No. 14 3 " "
To Eel River. 300 links in diam. across W.
" alder wood 60 links in diam. in the line
Set apart. for the co. of Jan 16. 17. 20. 1921. from which
Hickory 20 in diam. beams 12 E. 11 links each;

T. N. 12. N. R. N. 5 W. 2nd Mer. Ind.:

187

80.00 To the post cor off cor. 4, 5, 8 & 9.
Sunderbush, Timber Sugar, 1 Bush, Poplar & 1/2.
W. S. S. April 27. 1844

Stock Return Jan. 4 & 5 T. 12 N. R. 5 W.
4.10 To a Bush. 10 units in, 1000 9. W.
24.30 " " Poplar 30 in diam. in the line.
40.00 Set a 74 suspect from which.
Bush. 14 in diam. bears. N 89 W. 27 units in, 8 1/2
10. 5 " " " 930 77 7 " "
60.10 To a Bush 10 in diam. 1000 in the line.
78.33 Set a 74 suspect from which.
Bush. 6 in diam. bears. N 30 E. 5 units in, 8 1/2
Bush. 10 " " " 921 E. 29 " "
Sunderbush, Timber Sugar, 1 Bush, Poplar & 1/2, W. S. S. 1844

Stock Return Jan. 31 & 32 T. 12 N. R. 5 W.
22.00 To the N. R. 1 Bush of 1000
40.00 Set a 74 suspect from which.
Bush. 12 in diam. bears. N 60 E. 4 units in, 8 1/2
1000 7 " " " 1877 43 " "
80.00 Set a 74 suspect from which.
Bush. 15 in diam. bears. N 68 E. 7 units in, 8 1/2
Bush. 30 " " " 14 7 31 " "
Sunderbush, Timber Sugar, 1 Bush, Poplar & 1/2, W. S. S. 1844

Stock Return Jan. 29 & 30 T. 12 N. R. 5 W.
40.00 Set a 74 suspect from which.
Bush. 14 in diam. bears. N 2 E. 27 units in, 8 1/2
Bush. 12 " " " 150 46 " "

T. N. 12 N.R. 5 W. 2nd Mer. Ind.

60.00	To Eel River 300 Minkins, Course S.
80.00	Sub. cut the N & S line at the post cor of sec. 29, 30, 31 & 32. Sand bottom; Timber Oak, Mesquite, Sugar & Ash.
West	Return Sec. 30 & 31 T. 12 N. R. 5 W.
40.00	Set a 74 rod post from which a W Oak 24 in. diam. bears N 7 E. 5 units arch; & Buck 24 " " " S 63 E. 3 " "
76.55	Entered the West Boundary at the post cor of sec. 25 & 36, T. 12 N. R. 6 W. Sandstone rich; soil. Timber Oak, 7 Buck, Sugar & Ash.
North	Return Sec. 29 & 30 T. 12 N. R. 5 W.
6.82	To a Sugar 12 in. diam. in the line.
40.00	Set a 74 rod post from which a Locust 15 in. diam. bears N 27 W. 21 units arch; & Buck 15 " " " S 50 E. 7 " "
45.58	To a Buck 12 in. diam. in the line.
80.00	Set a post for the cor of sec. 19, 20, 29 & 30. From which a Buck 12 in. diam. bears N 19 E. 26 units arch; & Loc. 15 " " " S 29 W. 36 " " Sandstone soil rich; Timber Oak, Buck & Walnut. W & Ash & Birch.
West	Return Sec. 20 & 29, T. 12 N. R. 5 W.
18.00	To Eel River 275 Minkins in, Course S.W.
39.00	" Walnut. 24 in. diam. in the line.
40.00	Set a 74 rod post from which a Buck 14 in. diam. bears S 53 W. 39 units arch; & Loc. 14 " " " N 33 E. 55 " "
80.00	Set a post cor of sec. 19, 20, 29 & 30.

T. No 12 RR No 5 W. 2nd Mer. Ind.

Bottom land. Timber Walnut, Hackberry &
under the Spruce.

West Return Dec 19 & 30. T. 12 RR. 5 W.
15.90 Top Buck. 18 in. diam. stands in the line.
40.00 Get a 7/4 sap post from which a
Buck. 14 in. diam. bears S 42 E. 6 links arch; 8 1/2
Loc. 15 " " " N 59 E. 16 "
76.00 Enter at the West Boundary at the cross pt. 24 & 25. T. 12
RR. 6 W. This unit is best rich soil; Timber
Buck, Sugar, Walnut & under the Spruce.

2nd Cir.

North Return Dec 19 & 20. T. 52 RR. 5 W.
21.07 To a Poplar. 30 in. diam. in the line.
40.00 Get a 7/4 sap post from which a
Hickory 10 in. diam. bears S 5 W 18 links arch; 8 1/2
Sassafras 8 " " " N 47 E. 36 "
66.50 To a Poplar. 30 in. diam. in the line.
80.00 Get a post for the cross pt. 17, 18, 19 & 20 from which a
Buck 10 in. diam. bears S 72 E. 13 links arch; 8 1/2
Poplar. 14 " " " N 80 W. 2 " "
Sunderbush soil rich; Timber Buck, Oak, Sugar,
Poplar, & under the Dogwood & S. Apr. 24. 1814

East Quak Run line between Dec. 17 & 20. T. 12 RR. 5 W.
12.73 Top Poplar. 28 T. 12 RR. 5 W.
40.00 Get a stump 7/4 sap post
73.00 To a locust 50 links min., leaves S. E.
80.00 Enter at the NW at the post cross pt. 16, 17, 20 & 21

West Quak Run line between Dec. 17 & 20. T. 12 RR. 5 W.
31.70 To a W. Oak. 24 T. 12 RR. 5 W.
40.00 Get a 7/4 sap post at ar. arch in the line from which a

Consp.

T. N. 13. N. R. N. 5 W. 2nd Mer. Sec. 5

Spanish Oak 36 in. diam. bears 961 E. 10 links each; 43
 7 Buck. 18 " " " N 6 W. 33 "
 80.00 Set a post for the cor. of sec. 17, 18, 19, & 20
 This line had rich soil Timber Oak, Sugar, & Poplar,
 Undergrowth Spruce.

North Between Sec. 17 & 18 T. 13 N. R. 5 W.
 25.88 To a B. Oak 48 in. diam. stands in the line
 29.90 To a Buck 8 links away, Course S. E.
 40.00 Set a post from which
 Sugar 12 in. diam. bears. N 14 E. 17 links each; 43
 7 Buck. 14 " " " S 6 W. 43 "
 38.00 To a W. Oak 24 in. diam. stands in the line.
 68.30 To a Spruce 50 links away, Course S. E.
 80.00 Set a post for the cor. of sec. 7, 8, 17 & 18 from which
 Buck 20 in. diam. bears. S 30 W. 20 links each; 43
 20. 24 " " " N 84 E. 42 " "
 Land here soil rich; Timber Oak 7 Buck 43, 11 f.
 Maple & Oak.

West Between Sec. 17 & 18 T. 13 N. R. 5 W.
 17.00 To a Walnut 40 in. diam. stands in the line.
 40.00 Set a post on the true line from which
 Sugar 15 in. diam. bears. N 43 W 46 links each; 43
 20. 20 " " " S 43 E. 7 " "
 50.00 To a Spruce 6 links away, Course S.
 80.00 Set a post between the N & S lines at the cor. of sec.
 7, 8, 17 & 18. Land here; Timber Oak, Sugar & Pop.
 Can Undergrowth Spruce. April 26 1841. 1814

West Between Sec. 7 & 18 T. 13 N. R. 5 W.
 12.00 To a Spruce 50 links away, Course S. E.
 15.14 To a Buck 12 in. diam. in the line.

4000 Set a post for the cor of 14 Sec from which a
Buck 15 in diam bears S. 16. W. 17. links dist. & a
W Oak 8. " " " S. 65. E. 18. " "
59. 10 To a W Oak 12 in diam. stands in the line
75 31 Intersect the West Boundary at the post cor of Sec. 12 &
13. T. 12. N. 6. W. & set a post cor of Sec. 7 & 18. from
which a Buck 18 in diam bears S. 54 E. 15. links dist.
& a No 10 " " " S. 65. W. 19 " "
Land broken; Soil rich. Timber. Oak. Buck. &c.
Undergrowth Spice. Hazle &c. Apr. 25th 1814.

North Bottom Sec. 7 & 8. T. N. 12. N. R. 5. W.
8. 00 To an Elm 20 in diam. stands in the line
40 00 Set a post for the cor of 14 Sec from which a
Sugar 15 in diam. bears N 60. E. 12. links dist. & a
Buck 20. " " " S. 59. W. 48. " "
80 00 Set a post for the cor of Sec. 5. 6. 7. & 8. from which a
Sugar 10 in diam bears S. 60. E. 18. links dist. & a
No 5 " " " S. 54 W. 5 " "
Land low Timber Sugar, Buck, Poplar & undergrowth Spice.

East On a Main line between T. 578. T. 12. N. R. 5. W.
14 68 To W Oak 10 in diam. stands in the line
30. 00 " at Brook 8 links mid, comes S. W.
40. 00 Set a trap 7 1/4 up post
80. 00 Intersect the N. 53 line at the cor of sec. 4. 5. 8 & 9

West On the true line between T. 578 T. 12. N. R. 5. W.
40. 00 Set a 1/4 sec post in the true line from which a
Buck 12 in diam bears N 76 E. 26 links dist. & a
Elm 18. " " " S. 80 W. 32 " "
Land broken; Soil rich; Timber 1 Buck, Sugar &
Undergrowth Spice.

T. N. 12 N.R. N. 5 W. 2nd Mer. Sud.

West Return Sur. 687 T. 12 N.R. 5 W.
 24.05 Iron Branch 6 links mid. Corner S. W.
 25.18 " " W Oak 18 in. dia. in the line.
 40.00 Set a 1/4 up post from which a
 W Oak 36 in. dia. bears N 73 W. 32 links end; &
 No. 48 " " S 64 E. 42 " "
 75.31 Intersect the West Boundary: cor. of sec. 1892
 T. 12 N.R. 6 W. and set a post for the cor. of sec. 687
 from which a Beech 8 in. dia. bears S 82 E. 14 links end
 and a Birch 6 " " " N 24 W. 14 " "
 Land the 1st 1/2 broken; rich soil; Iron Branch Sugar,
 & ungr. Spec. Hazle & Brins: The last 1/2 more or
 growth; 2000 ft. millions

North Return Sur. 576 T. 12 N.R. 5 W.
 17.25 Iron Branch 24 in. dia. Hand in the line
 35.30 " " Branch 6 links mid. Corner S. W.
 40.00 Set a 1/4 up post from which a
 Beech 10 in. dia. bears N 38 E. 5 links end; &
 No. 15 " " " N 66 W. 24 " "
 78.20 Intersect the N Boundary and set a post for the cor. of
 sec. 576. from which a
 Beech 24 in. dia. bears S 84 E. 20 links end; &
 No. 6 " " " N 45 W. 13 " "
 Land Broken rich soil; Iron Branch, Oak & Sugar.
 Undergrowth Hazle & Brins

The part of Township North of Harrison Purchase
 Surveyed by

John Collette D.S.

The part in Harrison Purchase

Surveyed by

John M. Donald D.S.

T. N. 12. N. R. N. 5 N. 2nd Mer. Ind. 193

I certify that the foregoing Transcript of the field
notes of Township N. 12 N. Range N. 5 N. 2nd
Meridian in Indiana has been compared with the
Original notes in this Office and found to be correct.
Surveyor General's Office,
Cincinnati, May 16 1841

E. S. Rains
Sur. Genl.

Met Between Sec. 8 & 17, T. 2 N., R. 5 W

17.00 a Walnut 40 in. diam.

40.00 Set of Sec. post, from which

a Sugar 15 in. diam. bears N 43° W 46 ch. dist. of

a "do. 20 " " " S 43° E 7 " "

50.00 a f. Branch 6 ch. wide Course South

80.00 intersected the N & S. line at the Corner

This mile over broken rich soil, timber

Sugar, Beech, Poplar &c. underg. Spruce

April 26th 1844.